

# Terra Cotta Chimney Pots



	<p><b>Avon</b> 1405</p> <p>30" Tall 15<sup>1</sup>/<sub>2</sub>" x 15<sup>1</sup>/<sub>2</sub>" Base ID 18" x 18" Base OD 11" ID Top Opening 180 lbs</p> <p>Order Rain Guard 1603</p>		<p><b>Estate Jumbo</b> 1472E (Edwardian)</p> <p>33" Tall 14<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>2</sub>" Base ID 17" x 17" Base OD 11" ID Top Opening 163 lbs <i>(Supplied as 2 pieces weighing 41 and 122 lbs.)</i></p> <p>Order Rain Guard 1602</p>		<p><b>Hampshire</b> 1430</p> <p>31" Tall 16" Base ID 19" Base OD 12" ID Top Opening 157 lbs</p> <p>Order Rain Guard 1603</p>
	<p><b>Baron</b> 1410</p> <p>31" Tall 13" x 13" Base ID 16" x 16" Base OD 9<sup>1</sup>/<sub>2</sub>" ID Top Opening 110 lbs</p> <p>Order Rain Guard 1600</p>		<p><b>Halifax</b> 1438</p> <p>23" Tall 13<sup>1</sup>/<sub>2</sub>" x 13<sup>1</sup>/<sub>2</sub>" Base ID 16" x 16" Base OD 10" ID Top Opening 102 lbs</p> <p>Order Rain Guard 1600</p>		<p><b>Estate Magnum</b> 1477 Crown (Edwardian Magnum Crown)</p> <p>43" Tall 18<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" Base ID 22" x 22" Base OD 14" ID Top Opening 246 lbs <i>(Supplied as 3 pieces weighing 47, 56 and 143 lbs top to bottom.)</i> Rain Guard not Available</p>
	<p><b>Bird Cage 8"</b> 1420</p> <p>30" Tall 8" Base ID 9<sup>1</sup>/<sub>2</sub>" Base OD 4@ 3<sup>1</sup>/<sub>2</sub>"x6<sup>1</sup>/<sub>2</sub>" Top Opening 20 lbs</p> <p>Rain Guard Not Applicable</p>		<p><b>Style E</b> 1471</p> <p>27" Tall 11" x 11" Base ID 13" x 13" Base OD 8" ID Top Opening 70 lbs</p> <p>Order Rain Guard 1600</p>		<p><b>Windsor</b> 1480</p> <p>31" Tall 16" Base ID 19" Base OD 12" ID Top Opening 142 lbs</p> <p>Order Rain Guard 1603</p>
	<p><b>Windsor Medium</b> 1481</p> <p>21" Tall 16" Base ID 19" Base OD 13" ID Top Opening 115 lbs</p> <p>Order Rain Guard 1603</p>		<p><b>Estate Magnum</b> 1477 (Edwardian Magnum)</p> <p>45" Tall 18<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" Base ID 22" x 22" Base OD 14" ID Top Opening 288 lbs <i>(Supplied as 3 pieces weighing 89, 56 and 143 lbs top to bottom.)</i></p> <p>Order Rain Guard 1601</p>		<p><b>Style C</b> 1460</p> <p>13x13</p> <p>24" Tall 11" x 11" Base ID 13" x 13" Base OD 8"x8" ID Top Opening 56 lbs</p>
	<p><b>Dorchester</b> 1429</p> <p>31" Tall 16" Base ID 19" Base OD 14" ID Top Opening 153 lbs</p> <p>Order Rain Guard 1603</p>		<p><b>Windsor Smooth</b> 1490</p> <p>31" Tall 16" Base ID 19" Base OD 12" ID Top Opening 142 lbs</p> <p>Order Rain Guard 1603</p>		<p><b>New Castle</b> 1445</p> <p>24" Tall 14<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>2</sub>" Base ID 17" x 17" Base OD 11" ID Top Opening 139 lbs</p> <p>Order Rain Guard 1602</p>
	<p><b>Dry Top 12x12</b> 1404</p> <p>30" Tall 10<sup>3</sup>/<sub>4</sub>" x 10<sup>3</sup>/<sub>4</sub>" Base ID 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Base OD 4 @ 6<sup>1</sup>/<sub>2</sub>"x6<sup>1</sup>/<sub>2</sub>" Top Opening 63 lbs</p> <p>Rain Guard Not Applicable</p>		<p><b>Dover</b> 1433</p> <p>21" Tall 16" Base ID 19" Base OD 13" ID Top Opening 92 lbs</p> <p>Order Rain Guard 1603</p>		

# Terra Cotta Chimney Pots

	<p><b>Estate 1472E CRWN Jumbo Crown</b> (Edwardian Crown) 32" Tall 14<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>2</sub>" Base ID 17" x 17" Base OD 11" ID Top Opening 148 lbs <i>(Supplied as 2 pieces weighing 122 &amp; 26 lbs.)</i> Rain Guard Not Available</p>		<p><b>Windsor 1478 Magnum</b> 26" Tall 22" Base ID 25<sup>1</sup>/<sub>2</sub>" Base OD 19" ID Top Opening 223 lbs  Rain Guard Not Available</p>		<p><b>Estate 1477 TALL Magnum Tall</b> (Edwardian Magnum Tall) 60" Tall 18<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" Base ID 22" x 22" Base OD 14" ID Top Opening 334 lbs <i>(Supplied as 3 pieces weighing 89, 102 and 143 lbs top to bottom.)</i> Order Rain Guard 1601</p>
	<p><b>Dover Tall 1434</b> 31" Tall 16" Base ID 19" Base OD 12" ID Top Opening 130 lbs  Order Rain Guard 1603</p>		<p><b>Style E Jumbo 1472</b> 33" Tall 14<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>2</sub>" Base ID 17" x 17" Base OD 11" ID Top Opening 147 lbs <i>(Supplied as 2 pieces weighing 106 &amp; 41 lbs.)</i>  Order Rain Guard 1602</p>		<p><b>Hampshire 1432 Medium</b> 21" Tall 16" Base ID 19" Base OD 13" ID Top Opening 115 lbs  Order Rain Guard 1603</p>
	<p><b>Estate Magnum Tall Crown 1477 TALL CRWN</b> 58" Tall 18<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" Base ID 22" x 22" Base OD 14" ID Top Opening 292 lbs <i>(Supplied as 3 pieces weighing 47, 102 and 143 lbs top to bottom.)</i> Rain Guard Not Available</p>		<p><b>8x12 Dry Top 1402</b> 30" Tall 6<sup>1</sup>/<sub>2</sub>" x 10<sup>1</sup>/<sub>2</sub>" Base ID 7<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" Base OD Top Opening 2 @ 4<sup>1</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>4</sub>" &amp; 2 @ 6" x 6" 48 lbs  Rain Guard Not Applicable</p>		<p><b>Windsor 1478PL Magnum Smooth</b> 26" Tall 22" Base ID 25<sup>1</sup>/<sub>2</sub>" Base OD 19" ID Top Opening 223 lbs  Rain Guard Not Available</p>
	<p><b>Windsor 1489 Medium Smooth</b> 21" Tall 16" Base ID 19" Base OD 13" ID Top Opening 115 lbs  Order Rain Guard 1603</p>		<p><b>Style C 16x16 1462</b> 24" Tall 13<sup>1</sup>/<sub>2</sub>" x 13<sup>1</sup>/<sub>2</sub>" Base ID 15<sup>1</sup>/<sub>2</sub>" x 15<sup>1</sup>/<sub>2</sub>" Base OD 12" x 12" ID Top Opening 95 lbs</p>		<p><b>8x8 Dry Top 1400</b> 30" Tall 6<sup>1</sup>/<sub>2</sub>" x 6<sup>1</sup>/<sub>2</sub>" Base ID 7<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" Base OD 4 @ 4<sup>1</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>4</sub>" ID Top Opening 33 lbs  Rain Guard Not Applicable</p>
	<p><b>Style C 8<sup>1</sup>/<sub>2</sub> x 13 1459</b> 24" Tall 6<sup>1</sup>/<sub>2</sub>" x 11" Base ID 8<sup>1</sup>/<sub>2</sub>" x 13" Base OD 6" x 9" ID Top Opening 46 lbs</p>		<p><b>Cannon Barrel 1419</b> 31" Tall 16" Base ID 19" Base OD 12" ID Top Opening 138 lbs  Order Rain Guard 1603</p>		<p><b>Style C 13x18 1461</b> 24" Tall 10<sup>3</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>2</sub>" Base ID 13" x 17<sup>1</sup>/<sub>2</sub>" Base OD 9<sup>1</sup>/<sub>2</sub>" x 10<sup>1</sup>/<sub>2</sub>" ID Top Opening 83 lbs</p>
	<p><b>Windsor Small 1479</b> 10<sup>1</sup>/<sub>2</sub>" Tall 14" Base ID 16" Base OD 12" ID Top Opening 46 lbs  Order Rain Guard 1603</p>		<p><b>Hampshire 1431 Small</b> 10<sup>1</sup>/<sub>2</sub>" Tall 14" Base ID 16" Base OD 12" ID Top Opening 51 lbs  Order Rain Guard 1603</p>		<p><b>Windsor 1488 Smooth Small</b> 10<sup>1</sup>/<sub>2</sub>" Tall 14" Base ID 16" Base OD 12" ID Top Opening 46 lbs  Order Rain Guard 1603</p>



	<p><b>Essex</b>      1427</p> <p>12" Tall          14" x 14" Base ID          17" x 17" Base OD          11"x 11" ID Top Opening          68 lbs</p> <p>Rain Guard Not Available</p>		<p><b>Style E Small</b>   1470</p> <p>21" Tall          11" x 11" Base ID          13" x 13" Base OD          8" ID Top Opening          60 lbs</p> <p>Order Rain Guard 1600</p>		<p><b>Octagon Guard Rain Small</b>      1600</p> <p>Fits:          1410, 1470, 1471</p> <p>25 lbs</p>
	<p><b>Octagon Rain Guard Medium</b>      1602</p> <p>Fits:          1438, 1445, 1472, 1472E</p> <p>34 lbs</p>		<p><b>Octagon Rain Guard Large</b>      1601</p> <p>Fits:          1477, 1477TALL,</p> <p>70 lbs</p>		<p><b>Round Rain Guard Medium</b>      1603</p> <p>Fits:          1405, 1419, 1429, 1433, 1434, 1431, 1432, 1430, 1479, 1488, 1481, 1489, 1480, 1490</p> <p>70 lbs</p>



# Salt Glazed Chimney Pots

	<p><b>Estate Jumbo V1472E</b> (Edwardian)</p> <p>34" Tall 16 1/2" x 16 1/2" Base ID 19 1/2" x 19 1/2" Base OD 13" ID Top Opening 168 lbs</p> <p>Order Rain Guard V1602</p>		<p><b>Hampshire V1430</b></p> <p>33" Tall 17 1/2" Base ID 21" Base OD 13" ID Top Opening 116 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Hampshire V1432</b> Medium</p> <p>21 1/2" Tall 17 1/2" Base ID 21" Base OD 14 1/2" ID Top Opening 87 lbs</p> <p>Order Rain Guard V1604</p>
	<p><b>Windsor V1480</b></p> <p>33" Tall 17 1/2" Base ID 21" Base OD 13" ID Top Opening 116 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Windsor V1481</b> Medium</p> <p>21 1/2" Tall 17 1/2" Base ID 21" Base OD 14 1/2" ID Top Opening 87 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Arlington V1400</b></p> <p>35" Tall 12 1/2" Base ID 15" Base OD 10 1/2" ID Top Opening 95 lbs</p> <p>Order Rain Guard V1600</p>
	<p><b>Halifax V1438</b></p> <p>23 1/2" Tall 15" x 15" Base ID 17 1/2" x 17 1/2" Base OD 11" ID Top Opening 75 lbs</p> <p>Order Rain Guard V1600</p>		<p><b>Halifax Jumbo V1439</b></p> <p>31" Tall 21" x 21" Base ID 24" x 24" Base OD 14" ID Top Opening 140 lbs</p> <p>Order Rain Guard V1602</p>		<p><b>Baron V1410</b></p> <p>33" Tall 14 1/2" x 14 1/2" Base ID 17 1/2" x 17 1/2" Base OD 13" ID Top Opening 98 lbs</p> <p>Order Rain Guard V1600</p>
	<p><b>Hampshire V1432x</b> Medium Smooth</p> <p>21 1/2" Tall 17 1/2" Base ID 21" Base OD 14 1/2" ID Top Opening 87 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Hampshire V1430x</b> Smooth</p> <p>33" Tall 17 1/2" Base ID 21" Base OD 13" ID Top Opening 116 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Colchester V1409</b> Medium</p> <p>17" Tall 13" x 13" Base ID 16" x 16" Base OD 9" x 9" ID Top Opening 75 lbs</p> <p>Rain Guard Not Available</p>
	<p><b>Prescott V1500</b></p> <p>36" Tall 13" Base ID 16" Base OD 11" ID Top Opening 106 lbs</p> <p>Order Rain Guard V1600</p>		<p><b>Prescott Small V1501</b></p> <p>20" Tall 12" Base ID 14" Base OD 9" ID Top Opening 59 lbs</p> <p>Order Rain Guard V1600</p>		<p><b>Colchester V1408</b> Large</p> <p>23" Tall 17" x 17" Base ID 22" x 22" Base OD 12" x 12" ID Top Opening 100 lbs</p> <p>Rain Guard Not Available</p>
	<p><b>Windsor V1481x</b> Medium Smooth</p> <p>21 1/2" Tall 17 1/2" Base ID 21" Base OD 14 1/2" ID Top Opening 87 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Windsor V1480x</b> Smooth</p> <p>33" Tall 17 1/2" Base ID 21" Base OD 13" ID Top Opening 116 lbs</p> <p>Order Rain Guard V1604</p>		<p><b>Style E V1471</b></p> <p>29" Tall 12 1/2" x 12 1/2" Base ID 14 1/2" x 14 1/2" Base OD 9 1/2" ID Top Opening 110 lbs</p> <p>Order Rain Guard V1600</p>





Octagon V1600  
Rain Guard Small  
Fits:  
V1400, V1410,  
V1438, V1471,  
V1500, V1501  
19 lbs



Octagon V1602  
Rain Guard Medium  
Fits:  
V1439, V1472E  
22 lbs



Round V1604  
Rain Guard Medium  
Fits:  
V1430, V1430x,  
V1432, V1432x,  
V1480, V1480x,  
V1481, V1481x  
22 lbs



**Sandkuhl**  
clay works

# Custom Colored Chimney Pots



Salt (Gloss Glaze)



Buff Clay  
(through color)



Brown (Gloss Glaze)



Black (Gloss Glaze)



Tan (Gloss Glaze)

Glazes for chimney tops are special order. Delivery times will be longer than the standard terra cotta. Typically a glazed unit will have a lead time of approximately 2-4 weeks. Check with your distributor for exact timing and details when placing an order. Please note colors shown above are approximate and should not be considered a color swatch for matching purposes. Actual sample chips are available upon request.



# Chimney Pot Installation



**Warning!! Do not use decorative chimney tops on any Pre-engineered or prefabricated fire-place/chimney system (sometimes referred to as zero-clearance fireplaces). Improper installation of these products in conjunction with these various metal flue systems could result in fire and/or carbon monoxide buildup resulting in property damage and/or death.**

## Chimney Inspection

Decorative chimney tops are designed to complement new or existing masonry chimneys. To ensure a durable and maintenance free installation of chimney tops, the chimney cap and existing brick should be inspected to insure for proper construction and maintenance.

## Chimney Cap Inspection


Before installing a decorative chimney top, inspect the chimney cap. The chimney cap is the cement covering surrounding the flue liner that terminates the brick and prevents water infiltration into a masonry chimney. This cap can be poured in place or pre-casted but, should not physically touch the flue liner. Be sure to correct any problems before installing a chimney top.

## Inspection Points

- Ensure that the cap overhangs the chase by at least 2 inches.
- Check the underside of the chimney cap where it extends beyond the brick for a proper drip edge. This prevents water from siphoning into the brick work
- Check the chimney cap for cracks or water penetration. Seal any problems with a quality silicone caulk or if necessary install a new cap.
- Check the 1 inch space between the chimney cap and flue. The chimney cap should not contact the flue liner. The 1 inch space between the flue and the chimney cap should be sealed with a quality silicone caulk.
- Ensure that the cap slopes away from the flueliner to shed water.

## Chimney Top Installation

- Cut the protruding portion of the flue liner flush or not more than 2 inches above the chimney cap.
- Place the decorative top over the flue liner so the base rests securely on the chimney cap (not the flue). The flue liner may telescope slightly into the base of the decorative top. The flue liner must not prevent the decorative top from resting



Chimney Termination Detail

*If your chimney top is manufactured in sections, use any appropriate exterior grade clear or color matched adhesive or silicone to attach the sections.*

# Sizing Guidelines and Index for Chimney Pot Selection

Stock Code/Item #	Name	Pot Base Shape	Inner Base Dimensions	Nominal OD Square/Rectangular Flues														Nominal ID Round Flues								INDEX		
				8x8, 8' <sup>3</sup> / <sub>2</sub> x8' <sup>1</sup> / <sub>2</sub>	8x12, 8' <sup>1</sup> / <sub>2</sub> x13	8x18	10x10	12x12	13x13	12x16	13x18	16x16	18x18	16x20	20x24	20x20	6" Round	7" Round	8" Round	10" Round	12" Round	15" Round	18" Round	Catalog page	Column	Row		
1400	8x8 Dry Top	■	6' <sup>1</sup> / <sub>2</sub> "x6' <sup>1</sup> / <sub>2</sub> "	§													✓	§							2	3	4	
1402	8x12 Dry Top	■	6' <sup>1</sup> / <sub>2</sub> "x10' <sup>1</sup> / <sub>2</sub> "	§	§												✓	§							2	2	3	
1404	12x12 Dry Top	■	10' <sup>3</sup> / <sub>4</sub> "x10' <sup>3</sup> / <sub>4</sub> "	✓	§		✓	§	§								✓	✓	✓	§				1	1	6		
1405	Avon (Rain Guard #1603)	■	15' <sup>1</sup> / <sub>2</sub> "x15' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§	§	§	§				✓	✓	✓	✓	✓	§		1	1	1		
1410	Baron (Rain Guard #1600)	■	13"x13"	✓	✓		✓	✓	✓	§							✓	✓	✓	✓	✓			1	1	2		
1419	Cannon Barrel (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		2	2	5		
1420	Bird Cage	●	8"	✓													✓	§	§					1	1	3		
1427	Essex	■	14"x14"	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		3	1	1		
1429	Dorchester (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	1	5		
1430	Hampshire (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	3	1		
1431	Hampshire Small (Rain Guard #1603)	●	14"	✓	§		✓	✓	§	§							✓	✓	✓	✓	✓			2	3	6		
1432	Hampshire Medium (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		2	3	3		
1433	Dover (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	2	6		
1434	Dover Tall (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		2	1	2		
1438	Halifax (Rain Guard #1600)	■	13' <sup>1</sup> / <sub>2</sub> "x13' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓			1	2	2		
1445	New Castle (Rain Guard #1602)	■	14' <sup>1</sup> / <sub>2</sub> "x14' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		1	3	5		
1459	Style C 8' <sup>1</sup> / <sub>2</sub> x13	■	6' <sup>1</sup> / <sub>2</sub> "x11"	§	§												✓	§						2	1	5		
1460	Style C 13x13	■	11x11	✓	✓		✓	§	§								✓	✓	✓	§				1	3	4		
1461	Style C 13x18	■	10' <sup>3</sup> / <sub>4</sub> "x15' <sup>1</sup> / <sub>2</sub> "	✓	✓	§	✓	✓	✓	✓	§						✓	✓	✓	✓	✓			2	3	5		
1462	Style C 16x16	■	13' <sup>1</sup> / <sub>2</sub> "x13' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓			2	2	4		
1470	Style E Small (Rain Guard #1600)	■	11"x11"	✓	✓		✓	§	§								✓	✓	✓	§				3	2	1		
1471	Style E (Rain Guard #1600)	■	11"x11"	✓	✓		✓	§	§								✓	✓	✓	§				1	2	3		
1472	Style E Jumbo (Rain Guard #1602)	■	14' <sup>1</sup> / <sub>2</sub> "x14' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		2	2	2		
1472E	Estate Jumbo (Rain Guard #1602)	■	14' <sup>1</sup> / <sub>2</sub> "x14' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		1	2	1		
1472E CRWN	Estate Jumbo Crown	■	14' <sup>1</sup> / <sub>2</sub> "x14' <sup>1</sup> / <sub>2</sub> "	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		2	1	1		
1477	Estate Magnum (Rain Guard #1601)	■	18' <sup>1</sup> / <sub>2</sub> "x18' <sup>1</sup> / <sub>2</sub> "	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	§		✓	✓	✓	✓	✓	✓	✓	§	1	2	4	
1477 CRWN	Estate Magnum Crown	■	18' <sup>1</sup> / <sub>2</sub> "x18' <sup>1</sup> / <sub>2</sub> "	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	§		✓	✓	✓	✓	✓	✓	✓	§	1	3	2	
1477 TALL	Estate Magnum Tall (Rain Guard #1601)	■	18' <sup>1</sup> / <sub>2</sub> "x18' <sup>1</sup> / <sub>2</sub> "	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	§		✓	✓	✓	✓	✓	✓	✓	§	2	3	1	
1477 TALL CRWN	Estate Magnum Tall Crown	■	18' <sup>1</sup> / <sub>2</sub> "x18' <sup>1</sup> / <sub>2</sub> "	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	§		✓	✓	✓	✓	✓	✓	✓	§	2	1	3	
1478	Windsor Magnum	●	22"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	✓	✓	✓	✓	✓	✓	✓	✓	✓	2	2	2	
1478PL	Windsor Magnum-Smooth	●	22"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	✓	✓	✓	✓	✓	✓	✓	✓	✓	2	3	3	
1479	Windsor Small (Rain Guard #1603)	●	14"	✓	§		✓	✓	§	§							✓	✓	✓	✓	✓			2	1	6		
1480	Windsor (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	3	3		
1481	Windsor Medium (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	1	4		
1488	Windsor Small-Smooth (Rain Guard #1603)	●	14"	✓	§		✓	✓	§	§							✓	✓	✓	✓	✓			2	3	6		
1489	Windsor Medium-Smooth (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		2	1	4		
1490	Windsor-Smooth (Rain Guard #1603)	●	16"	✓	✓		✓	✓	✓	§	§	§					✓	✓	✓	✓	✓	§		1	2	5		



Stock Code/ Item #	Name	Pot Base Shape	Inner Base Dimensions	Nominal OD Square/Rectangular Flues														Nominal ID Round Flues						INDEX			
				8x8, 8 1/2x8 1/2	8x12, 8 1/2x13	8x18	10x10	12x12	13x13	12x16	13x18	16x16	18x18	16x20	20x24	20x20	24x24	6" Round	7" Round	8" Round	10" Round	12" Round	15" Round	18" Round	Catalog Page	Column	Row
V1400	Arlington (Rain Guard V1600)	●	12 1/2"	✓	§		✓	§	§								✓	✓	✓	✓	§			4	3	2	
V1408	Colchester-Large	■	17"x17"	✓	✓	§	✓	✓	✓	✓	§	✓	§	§		§	✓	✓	✓	✓	✓	✓	✓		4	3	5
V1409	Colchester-Medium	■	13"x13"	✓	✓		✓	✓	✓								✓	✓	✓	✓	✓			4	3	4	
V1410	Baron (Rain Guard V1600)	■	14 1/2"x14 1/2"	✓	✓		✓	✓	✓	§		§					✓	✓	✓	✓	✓	§		4	3	3	
V1430	Hampshire (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	2	1	
V1430x	Hampshire-Smooth (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	2	4	
V1432	Hampshire Medium (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	3	1	
V1432x	Hampshire Medium-Smooth (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	1	4	
V1438	Halifax (Rain Guard V1600)	■	15"x15"	✓	✓		✓	✓	✓	§	§	§	§				✓	✓	✓	✓	✓	§		4	1	3	
V1439	Halifax-Jumbo (Rain Guard V1602)	■	21"x21"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	§	✓	§	✓	✓	✓	✓	✓	✓	4	2	3	
V1471	Style E-Small (Rain Guard V1600)	■	12 1/2"x12 1/2"	✓	✓		✓	✓	✓								✓	✓	✓	✓	§			4	3	6	
V1472E	Estate-Jumbo (Rain Guard V1602)	■	16 1/2"x16 1/2"	✓	✓		✓	✓	✓	✓	§	✓	§	§		§	✓	✓	✓	✓	✓	§		4	1	1	
V1480	Windsor (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	1	2	
V1480x	Windsor-Smooth (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	2	6	
V1481	Windsor Medium (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	2	2	
V1481x	Windsor Medium-Smooth (Rain Guard V1604)	●	17 1/2"	✓	✓	§	✓	✓	✓	✓	§	§					✓	✓	✓	✓	✓	✓		4	1	6	
V1500	Prescott (Rain Guard V1600)	●	13"	✓	§		✓	§	§								✓	✓	✓	✓	§			4	1	5	
V1501	Prescott-Small (Rain Guard V1600)	●	12"	✓	§		✓	§	§								✓	✓	✓	✓	§			4	2	5	

WARNING: Take care in placing Decorative Chimney Pots on outdoor fireplaces. If these large ceramic vessels are too close to the heat source, they may break due to thermal shock. It is recommended that these be placed at least 8 ft above the smoke chamber on outdoor units. Even at this elevation, a quick, hot, fast fire may result in the chimney pot cracking.

- ✓ Chimney Pot should fit over the flue liner and cement directly to the cap with out contacting the flue.
- § Chimney Pot should fit flue provided the flue is cut flush with the cap and care is taken to prevent flue from contacting chimney pot.

This chart displays guidelines based on typical dimensions of flue liners supplied by Sandkuhl. There is no guarantee that the information is accurate and that the item will definitely fit the flue size listed. All flue liners sizes listed are NOMINAL dimensions and do not accurately represent the true measurements of a flue liner. Flue dimensions will vary depending upon manufacturer and age of flue liner. Be sure to accurately measure the flue liner before ordering a chimney pot to insure that the pot will fit properly.

Please note that the chimney pot base should not impinge upon the inside surface of the flue liner. One exception to this is that round based pots may impinge at the corners of a square flue but not by more than 3/4".

Square/ Rectangular flue liners are sized using OUTSIDE dimensions.

Round flue liners are sized using the INSIDE dimensions.



# Contact and Pickup Locations

## Sandkuhl Clay Works, Inc.

(Plant-Main Office)

05536 Kossuth-Amanda Road  
Spencerville, Ohio 45887

t: 419-657-2905

t: 419-647-4131

f: 419-657-2901

Office Hours: M-F 8am-4pm EST/EDT

Loading Hours: M-F 7am-3pm

www.sandkuhl.com

## Lange's Warehouse, LLC

(Distributor Pickup Location)

400 Earl Road, Unit H  
Shorewood, IL 60404

t: 708-377-7900

f: 708-377-7909

Hours: M-F 7am-4pm CST/CDT

www.langeswarehousenetwork.com

## Skycon, Ltd.

(Distributor Pickup Location)

80 Eddystone Ave  
Toronto, Ontario M3N 1H4

t: 416-745-0604

f: 416-428-2681

Hours: M-F 7am-5pm EST/EDT

www.skycon.ca

## Stone Farm Living

(Distributor Pickup Locations)

3 Simm Lane, Unit 1C  
Newtown, CT 06470

10 Megan Ct.  
Uxbridge, MA 01569

t: 877-977-0004

f: 877-977-0003

www.stonefarmliving.com



## Directions - Plant Location

We are located 4 miles south of Spencerville just off of State Route 66 on State Route 197 East in Kossuth Ohio.

Directions from I-75 (North or South): Take US 33 West (Exit 110) at Wapakoneta to SR 66 North. Travel approx. 7 miles North on SR66 . Turn Right (East) on SR 197. Our facility is approx. 1/4 mile down with the plant on the Right and the office on the Left.

Directions from West (Fort Wayne): Take US30 East . Take US 127 South at Van Wert (approx 10 miles). Turn East on SR 117. At Spencerville go South on SR 66. Travel 4 miles and turn Left (East) on SR 197. Our facility is approx. 1/4 mile down with the plant on the Right and the office on the Left.

Please note that it is not advisable for trucks to travel through the towns of Lima, Wapakoneta or Delphos. These are difficult and time consuming routes--no matter what your GPS may indicate!

Loading Hours are M-F 7 am - 3 pm.

**Sandkuhl**  
clay works